

Earthy woods
The Organic Touch of Earth's Splendor
Welspun
FLOORING



Earthy woods

Earthy Woods narrates the story and essence of mother earth and its hues in the form of divergent surfaces. It will remind an individual; the beauty & hues of nature through the binocular of organic textures and grains.

Experience Earth's Essence Underfoot...

Designed with
the essence of *Nature.*

RUBY | CTY00252

CELADON | CTY00250

SUNLIT YELLOW | CTY00251

COBALT | CTY00253

BUFF | CTY00256

MOCHA | CTY00255

GRAPHITE | CTY00254

STEEL GRAY | CTY00249

RUBY | CTY00252





Note: Savy Street collection design has been added to the room scene.

The images used are for illustration purpose only. The actual product appearance may vary.

COBALT | CTY00253





Note: Savy Street collection design has been added to the room scene.

The images used are for illustration purpose only. The actual product appearance may vary.

SUNLIT YELLOW | CTY00251

Note: Savy Street collection design has been added to the room scene.

The images used are for illustration purpose only. The actual product appearance may vary.

MOCHA | CTY00255

Note: Savy Street collection design has been added to the room scene.

The images used are for illustration purpose only. The actual product appearance may vary.

CELADON | CTY00250





Note: Savy Street collection design has been added to the room scene.

The images used are for illustration purpose only. The actual product appearance may vary.




GRAPHITE | CTY00254

Note: Savy Street collection design has been added to the room scene.

The images used are for illustration purpose only. The actual product appearance may vary.

BUFF | CTY00256






Note: Savy Street collection design has been added to the room scene.

The images used are for illustration purpose only. The actual product appearance may vary.

STEEL GRAY | CTY00249





Note: Savy Street collection design has been added to the room scene.

The images used are for illustration purpose only. The actual product appearance may vary.

Welspun FLOORING

PRODUCT SPECIFICATION

Collection Name	Earthy woods
Machine Gauge	PET
Yarn	1/12 Rainbow
Size (CM)	25X100
Pile Height	3.5-4.0
Total Thickness	5.0-5.5
Density	3900-4000
SPI	10.3
Tufting Weight (Oz)	15
Backing System	Welspun Ecolite or Comfortile
Indicates	+/- 5%

TEST REPORT SUMMARY

Test Name	Method	Test Name	Method
Delamination	ASTM D 3936	Static Electricity	AATCC 134-1996
Tuft Bind	ASTM 1335-67	Anti Static	ANSI/ESD S 7.1
Dimensional stability	ASTM D 7570	Castor Chair	DIN 54324
Pile weight	ASTM D 5848-07	Hexapod	ASTM D 5252-15
Pile density	ASTM D 5848-07	Static Coefficient	ASTM C 1028
Total thickness	ASTM D 6988-08	Dimensional stability (Aachen test)	DIN-STD-54318/ITTS-004
Pile height	ASTM D 5823-05a	Anti Soil	ASTM D 6540-05
Gauge	ASTM D 5793-13	Shampoo Fastness	AATCC 138
Tuft density	ASTM D 5848	Water Fastness	AATCC 107
Flammability (Pill Test)	ASTM D 2859	Velcro-Loops	ITTS 112
Flammability (Radiant Panel)	ASTM E 648-06	Heavy Traffic test (Walk test)	ASTM 6119-03
NBS Smoke Density (Flaming)	ASTM E 662-06	Sound transmission	ASTM C 423-17
Lightfastness	AATCC 16 E	Sound Absorption	ASTM C 423-17
Colour fastness to Ozone	AATCC 129	Static Loading	ISO 015/3415
Colour fastness to NO_2	AATCC 164-2008	Green Carpet (VOC)	ASTM D 5116
Crocking Dry and Wet	AATCC 165-2008	Acoustic	BS EN ISO 354
Stain fastness	AATCC 175-2008/ITTS 002	Thermal Resistance	ASTM C 518

CARPET TILES ADVANTAGES

- Easy To Install
- Stain Protect
- Fade Resistant
- Less Lead Time
- Offers Sound Absorption
- Reduce Wastage During Installation
- Made in India

TRADEMARKS & TECHNOLOGIES

Welspun Ecolite™

Welspun Ecolite™ backing are made up of lightweight PVC that not only reduces the overall weight significantly but ensures a 40% lower environmental footprint than traditional carpets. Despite that, this backing retains the highest performance standards.

Now also available with Healthy Floor™ (Optional).

We also have carpet tile options with antiviral properties. Tested and certified by ResInnova Labs, we are India's first antiviral carpet tiles. it kills 99.68% of human coronavirus due to a special coating of silver iron & titanium oxide. We make healthy floors.

Comfortile™M (Optional).

With Comfortile™ backing, our tiles come with a customized felt-back that not only offers great underfoot comfort but also sound absorption. Comfortile™ provides extra levels of protection and support for high levels of acoustic and ergonomic comfort.

CERTIFICATION

Welspun
FLOORING

WELSPUN GLOBAL BRAND LTD,
SURVEY NO. 190, CHANDANVELLY, NEAR HYTHABAD,
SHABAD MANDAL, RANGA REDDY (DIST),
TELANGANA 501 503
INDIA

Contact us:
1800 - 120 - 1161
India: contact_flooring@welspun.com
Global: global_saleswfl@welspun.com

www.welspunflooring.com

Scan the QR code to explore
Earthy woods collection

Copyright © 2024-25 Welspun, All right reserved.

V1 07 24