WESMARC®
SUPER DOORS

PRODUCT BOOK 2025

OPEN TOMORROW



DOOR. FRAME. HARDWARE

wesmarcdoors.com

WESMARC



Through our four decade long journey as entrepreneurs, we have stayed in step with the dreams of Bharat. As founders of Ashirvad Pipes, we disrupted the water management sector. The Wesmarc Mega factory, India's most modern & largest door & frame manufacturing facility, is now our new offering to the people of Bharat

"One day all doors will be made this way"

Aman Poddar

Pawan Poddar



INDIA'S MOST **MODERN & LARGEST** DOOR & FRAME MANUFACTURING
















WESMARC

TABLE OF CONTENT


Wesmarc Story	01
Science Inside Simple Outside	07
Discover 40 Reasons	09
Application	11
Technology	12
Versatile Doors	13
Door models	15
Super tall Door models	24
Barn Door	29
Corporate Door Models	31
Hospitality	41
Educational Facility	45
Institution	49
Medical center	53
Industry	55
Product Categories	57
All Models (Glass & Panel)	63
Dimensions	65
Delight Studio	67
Accessories	70
Design upgrade	74
Material palette	76
Design Tips	77

DOORS OF TOMORROW, FOR TODAY.

We create intelligent doors that work as well as they look. Because, we think that doors should not only bring your vision to life with a vibrant dash of colour or a minimal touch of class, but also enhance your everyday experiences.

So, with every door, we endeavour to make homes more intimate, office spaces quieter and public spaces more utilitarian. All while working perfectly time and again.





The name encapsulates its essence: Wood, Engineered materials, and Steel (WES)—all benchmarks of quality and innovation.

The company provides a one-stop solution for doors, frames, and hardware, addressing challenges such as limited design options, lengthy installation processes, and inadequate warranties.

By offering customisable, durable, and stylish solutions, Wesmarc is not just meeting market demands but redefining them. The company's comprehensive approach ensures that customers enjoy the perfect blend of functionality and aesthetics, elevating spaces to new heights.



Interior (Bedroom) A.1, Dark Oak

At Wesmarc, the customer is at the center of everything. The company's dedicated support team ensures a seamless experience from product selection to installation. Detailed consultations help customers choose the perfect door for their needs, while after-sales support ensures long-term satisfaction. This customer-first approach has earned the brand a loyal following and a reputation for excellence in the industry.



LOOKS SOPHISTICATED. FEELS INTELLIGENT.

Yes, our doors are beautiful. However, they go beyond just their appearance, because we understand what is important to you. Your space reflects memories, passions and the security of all that you hold dear. So, we help you choose the full door that is best suited for you. Which is why, we pay attention to the tiniest of details, and ensure the very best design, safety and durability in every single door.

SOPHISTICATION MEETS SIMPLICITY

Its designs blend global trends with contemporary Indian sensibilities. Using premium materials and advanced manufacturing techniques, the company ensures that its doors are both stylish and practical. Each door set can be installed in just 60 minutes, offering a dust-free, noise-free, and damage-free experience. This unique combination of elegance and efficiency makes Wesmarc doors a preferred choice for homeowners, architects, and builders alike.



PRIORITISING SAFETY, DURABILITY

Safety is at the heart of the company's philosophy. The doors are fire retardant, acoustically insulated, and reinforced with metal sheets for enhanced security. These features are not just added benefits but essential components of the design, ensuring peace of mind for users. Rigorous testing ensures durability, making every door capable of withstanding diverse usage patterns and environmental conditions. Whether it's a busy office space or a serene home, its doors provide unmatched reliability and security.

EASY INSTALLATION PLUG-AND-PLAY

Every Wesmarc door is designed for effortless installation. Packaged with all components, the doors can be installed with minimal tools and in just 30 minutes. This "plug-and-play" approach eliminates the typical hassles of door installation, ensuring a seamless process. The simplicity of installation is a testament to the company's commitment to making life easier for its customers. This feature is particularly beneficial for large-scale projects where time and efficiency are critical.



THE BEST OF THE WORLD. CRAFTED FOR INDIA.

For over four decades, the founders of Wesmarc have been at the forefront of innovation, disrupting markets and addressing the needs of India. Having revolutionised the water management sector with Ashirvad Pipes, Pawan Poddar & Aman Poddar are now reshaping the door and frame manufacturing industry. Wesmarc Megafactory, the most advanced and expansive door manufacturing facility, is their latest offering to the country.

The company aims to redefine the standards of the door industry with cutting-edge technology, digital integration, and sustainable practices. With a focus on becoming a trailblazer akin to global giants, the company emphasises automation, paperless operations, and a customer-centric approach. This vision extends beyond just doors—the company aspires to transform the way people perceive and interact with their spaces.

Its commitment to innovation ensures that it remains at the forefront of the industry, setting benchmarks for others to follow.

200000 sq. ft

India's most Modern & Largest Door and Frame manufacturing.

50,000+ SKUs

Product ranges across wood, engineered and glass.

49+ years of expertise

Across manufacturing, nationwide distribution and creating a leading brand In the Indian building industry.



HIGH-SPEED MANUFACTURING: ONE DOOR READY IN JUST 2 MINUTES.

LEGACY OF EXCELLENCE


As a third-generation entrepreneurial endeavor, Wesmarc carries forward a legacy of market disruption and customer satisfaction since 1975. The company's ethos centers on understanding customer needs, implementing best practices, and executing innovative solutions to elevate the industry. This legacy is not just about creating products but about building trust and long-term relationships with customers. The company's success story is a testament to its unwavering commitment to quality, innovation, and customer satisfaction.



Doors are more than just functional barriers; they are an integral part of every space's character and security. Wesmarc's doors are not just aesthetically pleasing but also functionally superior. Every door reflects the aspirations and values of its users, combining design, safety, and durability. This philosophy is at the core of the company's mission.

Located in the Bommasandra Industrial Area of Bengaluru, its state-of-the-art manufacturing unit ensures ease of accessibility with excellent connectivity through road and metro, making it a hub of innovation and efficiency.

SUPER DOOR



SCIENCE INSIDE SIMPLE OUTSIDE



For us, good doors mean that design and quality last for many years: The hinges on our doors alone have to withstand 200,000 closing cycles in the endurance test. Our designs repeatedly set standards: We are the only and 1st to make rebated doors in India, perfectly matched to the best-selling decors — 12 stunning shades of ash, birch, walnut, and oak, ranging from light to dark. These decors are much loved and add aspirational value for customers, and are often copied. Both are small awards in themselves.

1 Quick & Easy Installation

Our frames fit into all standard wall openings and are ready for immediate use with WESFlex™ Technology, featuring hidden anchor fasteners for a seamless fit.
Even after installation, tolerances between the frame and door leaf can be easily adjusted.

2 Smart Hardware Selection


Engineered rubber seals with integrated profiles ensure the door closes softly and silently.
High-quality co-moulded and extruded seals enhance closing with smooth, soft-closing action.
Factory-fitted precision hardware ensures effortless operation and long-term reliability.

3 Maintenance-Free

No dirt, no squeaks — our hinges are engineered to prevent metallic abrasion and ensure silent operation.
The finish stays fresh every day with no need for polishing and no fading over time.

Door + Frame + Hardware. Discover the revolution in doors with Wesmarc - a complete system, blending style, strength, security & smarts. Not just a door, it's a Super Door, offering superior protection, aesthetics & finish.

German Engineered. Bharat Made




Experience unrivaled reliability and elegance with our Rebated Doors featuring adjustable frame technology now in India. Embraced by prestigious buildings in Dubai, Germany, and Europe, this innovation sets a new standard for excellence and ensures top-notch quality worldwide.

Discover 40 Reasons Why WESMARC SUPER DOORS is your Smartest Choice

1. **India's 1st & Only Rebated Door** - Superior seal, sound & dust barrier.
2. **Full Wall Wrap Adjustable Frame (F.W.W.A.F)** - WES.Flex™ technology.
3. **One-Stop Solution** - Factory-fit door, frame, hardware & accessories.
4. **Acoustic Performance up to 35 dB** - Low noise comfort guaranteed.
5. **Termite & Borer Resistant** - Protected core, zero infestation risk.
6. **Stable in All Climates** - No expansion, warping, bending - guaranteed.
7. **5D Adjustable Hinges** - Easy alignment, no special tools required.
8. **German Engineered** - Built with advanced German Technology.
9. **Developed in Europe** - Trusted globally for 40+ years.
10. **On-Time Delivery Promise** - Driven by planning, scale & supply.
11. **European Design Aesthetics** – Sleek, modern, minimalist appearance.
12. **Heavy-Duty Hardware** - EN- locks, 2L cycle- hinges, reinf.Striker plate.
13. **Multi-Lock System** - Advanced security. Enhanced safety. Always.
14. **Multiple Thickness Options** - 40mm, 42mm, 45mm — strength assured.
15. **Adjustable Architrave (95-340mm+)** – Perfect wall fit. Seamless finish.
16. **Extended High Wall Tolerance** – Adjustable for height,width,thickness.
17. **Aluminum Sheet Reinforcement** – Dual-layer strength, assured.
18. **Up to 30-Min. Fire Safety** – Heat, smoke, fire protection door system.
19. **Water-Resistant Build Quality** – Total protection from water damage.
20. **Scratch-Resistant CPL** – Durable, Scratch-free, natural texture.
21. **Hydro-Guard at Bottom** - SS304 sleeve prevents water damage.
22. **No A/C Leakage** – Tight seals. Maintains cooling efficiently.
23. **All Factory-Fitted Components** - Precision fit, QC-approved finish.
24. **Consistent Factory Finish** – Uniform finish, precision-made.
25. **180° Opening Hinges** - +50mm Wider opening - barrier free movement.
26. **Smart Accessibility** – Wider openings. Modern, Smooth movement.
27. **No Civil Work Needed** – 60Min - Easy to install. No site mess.
28. **PVC Edge Banding** – Matching CPL. Impact-resistant edge finish.
29. **200,000 Cycle Tested Hinges** – Long-term durability guaranteed.
30. **Digital Hardware Integration** – Smart add-ons fit seamlessly.



31. **Soft Close Door** – Prevents slamming; adds silent luxury.
32. **Rounded Frame Edges** - Refined edges ensure safe use.
33. **Versatile Sizes** – Single/double/sliding doors up to 3m height/width.
34. **Flush-Fit Striker Plate** - No protrusions, smooth & clean surface.
35. **PU Foam Installation** - Vibration-free, moisture-blocking, acoustic fill.
36. **No Painting Required** - Ready-to-install, polish-free finish.
37. **All-Climate Laminated Wood** - CLT & LVL water-resistant Engg. wood.
38. **Dedicated Sales & Service** - Wesmarc support end to end.
39. **Matching CPL Finish** - Uniform veneer on door & frame.
40. **PUR Adhesive Bonding** – Strongest bonding - water & heat resistance.








Residential



Commercial



Hospitality




Educational Facility



Institution



Medical center



Industry

Wesmarc doors are engineered to suit every space — from residences to industries, seamlessly adapting to commercial, hospitality, educational, institutional, and medical environments."

Our doors protect you and your goods from negative influences such as sound, burglary, fire, smoke, radiation, and moisture. We have an intelligent, secure, and, in combination with the premium edge, particularly robust door solution for every task

		Up to 45dB
WES.Flex™	**Aqua Protect™ technik**	**Pure Quiet Comfort™ dB System**
Impossible Theft Technology™	**Up to 30-minute Fire, Heat & Smoke Resistant**	Smart **accessibility**
Ease of Installation	**Climate + Weather Resistant**	**Termite + Borer Resistant**




No data leakage. Digital lock integration keeps intruders out



German-engineered, climate-proof & wear-resistant for life.



Variety of door types for diverse industrial applications.



Easy & Emergency Access — When Every Second Counts.

VERSATILE DOORS



Acoustic insulation for a quieter, more peaceful workspace.



Heavy-duty hardware, 2,00,000 cycles — for high-traffic use.



Easy to renovate Easy to remove & Fix the door without tools.



Easy installation with high tolerances — done in just 60 minutes.




Designed to resist water & keep interiors fresh



Maximized daylight & effortless accessibility




Super-tall, wide double doors for a grand look.



Door protection accessories for durability and impact resistance.



Easy to clean – just wipe with a damp cloth.



Doors with style for modern corporate interiors.



Kid-friendly design with soft, safe edges.




Up to 30-minute fire, heat, and smoke resistance.

INTRODUCTION TO DOOR DESIGN.


The Overlooked Essential

Doors are the most frequently used architectural elements in any occupied building—serving as movable thresholds between private and public spaces. They connect and separate, define flow, and influence spatial experience far beyond the direction they swing.
Many clients focus only on basic functionality, yet the choice of type, finish, frame, and operation can completely redefine a space—affecting sound insulation, aesthetics, ease of use, and maintenance. A thoughtfully designed and precisely installed door becomes the perfect finishing touch to a well-executed interior.

CPL Veneer Finishes



Bianco Puro | White Ash | Natural Oak | Narural Eucaluyptus




Natural Walnut | Stained Walnut | Dark Oak | Nero Notte

TDF- Thermo decor foil Finishes



Nordic Birch | Golden grain Oak | Burnt walnut



Amber lux rose Wood

Residential Series – Models for Every Interior Application

Entrance



Model A.1
#5 Locking points



Model A.1 + Style
Superior Construction



Model A.1 + Style
Design & Finish



Model A.3

3-Security Bolts

Interior (Bedroom)



Model A.0
Full wall wrap
adjustable frame



Model A.1
Wider Openings



Model A.2
Co-extruded
acoustic seal



Model P.1, Barn Door

Dimension Logic — where precise measurements meet flawless door solutions..

Height:
Plain Models A.1: 1975, 2100, 2250, 2350, 2400, 2550, 2700, 2850, 3000 mm.
Glass/Panel Models G,P,C: 2100, 2350, 2550, 2700, 2850, 3000 mm.
Widths:
Plain Models A.1 : 750 to 2350 mm; standard widths – 750, 900, 1000, 1100, 1200, 1250 mm.
Glass/Panel Models G,P,C: 750, 900, 1000, 1100, 1200 mm.

Interior (Bathroom)




Model G.1



Vision panel 3



Model C.1



Model P.2

Interior (Kitchen)



Victorian Style 1



Wabi Sabi Style 2



Japandi Style 1



Fluted:



Frosted




Tinted




Clear

For Bigger Corridors Or Entrances







ELEGANT EVERY DAY



METAL STRIPS

ALUMINUM STRIPE : Model A.1, with an aluminum add-on



Model S.a



Model S.b



Model S.c



Model S.d



Model S.e



Model S.f




Model S.g



Model S.h



Model S.i



Model S.j



Model S.k

U-shaped aluminum strips

Flush fixed flat aluminum strips

GROOVES FOR DOORS: Model A.1, with an groove add-on



Model S.a



Model S.b



Model S.c



Model S.d



Model S.e



Model S.f



Model S.g



Model S.h



Model S.i




Model S.j



Model S.k

U groove 6mm x 1mm trasnparent





GrandeVista Glass Door

Elevate your interiors with our large glass door — where style, strength, and flexibility come together. Crafted with 5mm toughened glass, it's built to impress and last.

Choose Your Vision:

Clear Glass – Pure and open, for seamless views.
Frosted Glass – Soft privacy with a modern touch.
Fluted Glass – Textured elegance, diffusing light beautifully.
Tinted Glass – Subtle shade for a cool, contemporary vibe.

Beading Options:

Angular Beading – Sleek and sharp-edged for a bold, architectural frame.
Sharp Beading – Soft privacy with a modern touch.


Fluted:


Frosted


Tinted


Clear

Fluted glass isn't available for our Victorian, Wabi Sabi, or Japandi style doors.




Bianco Puro CPL veneer, G.1 Model- Frosted Glass

Other Glass Door Models

Stylish glass door models designed for versatile use in homes, offices, showrooms, and hospitality spaces. From sliding to hinged and full-height partitions, each model enhances openness, light, and modern appeal.







Dimensions
Heights: 2100mm & 2350mm
Widths: 750mm, 900mm & 1000mm, 1200mm
Glass Types: Clear, Frosted & Tinted All
Glass : 5 mm toughened

Also available as double doors, utilizing respective single door combinations.

STYLISH


Model G.0


Model G.1


Model G.2


Model C.1

Victorian, Wabi Sabi & Japandi Style possible in G.0, G.1 & C.1

Explore Victorian, Wabi Sabi, and Japandi-inspired French glass door models with slim 20mm beading for a refined look. Available in over 12 elegant styles to suit modern, classic, and minimal interior themes.


Model G.1 - Victorian Style #3


Style 1


Style 2


Style 3

Model G.1 - Japandi Style #2


Style 1


Style 2


Model G.1 - Wabi Sabi Styles #7


Style 1


Style 2


Style 3


Style 4


Style 5


Style 6


Style 7

Fluted glass isn't available for our Victorian, Wabi Sabi, or Japandi style doors.

Elegant French doors featuring Victorian, Wabi Sabi, and Japandi-inspired glass designs exclusively on the upper section for a light, airy feel.

Model G.0 - Victorian Style #3



Style 1 Style 2

Model G.0 - Japandi Style #2



Style 1 Style 2

Model G.0 - Wabi Sabi Styles #7



Style 1 Style 2 Style 3 Style 4 Style 5 Style 6 Style 7

Fluted glass isn't available for our Victorian, Wabi Sabi, or Japandi style doors.

French-style doors with Victorian, Wabi Sabi, and Japandi-inspired glass on top, paired with solid bottom panels for a timeless balance.

Model C.1 - Victorian Style #3



Style 1 Style 2

Model C.1 - Japandi Style #2



Style 1 Style 2

Model C.1 - Wabi Sabi Styles #7



Style 1 Style 2 Style 3 Style 4 Style 5 Style 6 Style 7

Fluted glass isn't available for our Victorian, Wabi Sabi, or Japandi style doors.



Super tall Door Models

Super tall French-style doors feature a striking center panel of Victorian, Wabi Sabi, or Japandi-inspired glass, beautifully complemented by glass inserts at the top and bottom for a seamless, airy look.


Model G.0


Model G.2


Model C.1


Model A.1

Explore Victorian, Wabi Sabi, and Japandi-inspired French glass door models with slim 20mm beading for a refined look. Available in over 12 elegant styles to suit modern, classic, and minimal interior themes.

Model G.0 or C.1 - Victorian Style #3


Style 1


Style 2


Style 3

Model G.1 - Japandi Style #2


Style 1


Style 2

Model G.0 or C.1 - Wabi Sabi Styles #7


Style 1


Style 2


Style 3


Style 4


Style 5


Style 6


Style 7

Fluted glass isn't available for our Victorian, Wabi Sabi, or Japandi style doors.



Model P.0

Model P.2

PANEL MODELS

Barn Doors



Style 2



Style 1



Style 3

Model P.1 – A modern take on the classic barn door, crafted with durable materials and a space-saving sliding design, perfect for both rustic and contemporary interiors.

Door Specifications
Heights: 2100mm & 2350mm
Widths: 750mm, 900mm & 1000mm, 1200mm
Also available as double doors, utilizing respective single door combinations.

CORPORATE DOOR MODELS

Door models with glass partitions, top window paneling, and wooden accessories blend style with function.
Designed to elevate interiors while ensuring durability and elegance.

RECOMMENDED APPLICATIONS :

MEETING ROOMS/ CONTROL ROOM / PANTRY / TOILET.




Glass partition series






Top + side glass Window



Glass partition



Top Panel Model A.1 Door



Side + Top Panel Model A.1
Door




Model F.3
750,900 & 1000mm wide



Model F.3, Super wide
1350mm & 1500mm

GLASS PARTITIONS WITH SIDE DOOR

Create open, light-filled spaces with 2, 3, or more glass partitions and a door seamlessly integrated to one side. Ideal for offices, studios, and modern homes, this setup offers a perfect balance of privacy and transparency while maintaining a sleek, unified look.



TOP & SIDE GLASS WINDOW COMBINATION


Enhance your space with a top and side glass window setup that brings in natural light from multiple angles. Aligned perfectly with the door, this combination adds vertical and horizontal openness, creating a brighter, more expansive feel — ideal for entryways, partitions, and premium interiors.





CUSTOM DOOR PLACEMENT OPTIONS

Whether you prefer the door positioned at the side or center, our glass partition systems can be customized to suit your office layout. Designed for flexibility, this setup allows you to optimize space, flow, and functionality while maintaining a clean, modern aesthetic.



GRAND OFFICE ENTRANCES WITH WIDE & TOP PANELS

Make a powerful first impression with wide side panels and top glass panels that frame the door with elegance and scale. Designed for modern office entrances, this combination creates a sense of openness, height, and architectural grandeur.





FOR MORE COMBINATIONS, CONNECT WITH WESMARC CUSTOMIZATION LINE:

Explore endless possibilities with L-shaped configurations, perpendicular joints, and longer or wider glass panels — all designed with aesthetic frames and planned weight distribution. Fixing methods are adaptable to site conditions, and our doors can be integrated seamlessly with different models for a cohesive, custom solution.




EXPLORE DOOR MODELS FOR MORE DESIGN POSSIBILITIES

Check out our range of door models to unlock greater creativity in your space. From classic to contemporary styles, each model is designed to pair beautifully with glass panels, partitions, and customized layouts — giving you the freedom to design with style and flexibility.







Walkway Frame





Black Marquina

95mm x 1mm HPL Inlay



Model A.1 +

95mm x 1mm, HPL Black Marquina HPL inlay, i-Series

White Statuario

95mm x 1mm HPL Inlay



Model A.1 +

95mm x 1mm, White Statuario HPL inlay, i-Series

Louvered series


95mm x 1mm HPL Inlay





Moulding 6 On full width of the Door





Moulding 4 On full width of the Door



Moulding 4 x #3 No.s



Pasting Panel on plain door




HOSPITALITY

DOORS OF TOMORROW, FOR TODAY.

We create doors with advanced technology, modern design, and future-ready performance.


Model A.1 + Moulding



A.1 plain doors can be elevated with precision-applied mouldings, creating subtle depth and character. When paired with matching décor finishes, the result is a harmonious, modern look that blends clean design with refined detailing.



Moulding 1
18mm (H) x 32mm



Moulding 2
17mm (H) x 38mm



Moulding 3
18mm (H) x 31mm

Edge trim fixed on the frame's outer perimeter for a neat, finished look.



Edge trim 1
30mm (H) x 20mm



Edge trim 2
20mm (H) x 20mm

Night Edition



Model A.1



Contrast Door & Frame



Black Hinge caps





Black Edge band



Black Hardware


Consistent Veneer and Pattern Design for Every Door





ELEGANT EVERY DAY

Door with paneling





Door Protection Shield Guard



100mm Kick plate

100mm Kick +
250mm push plate

900mm Kick plate

Skirt guard

Hydro guard

Corner Guard

Kick Plate

Rebate Guard



EDUCATIONAL FACILITY



ELEVATE WITH LIGHT

The top glass window above the door adds a sense of height and openness while allowing natural light to flow through the space. Designed with precision miter joints, it ensures clean, seamless corners that enhance the overall aesthetic. Whether used for ventilation, daylighting, or just to elevate the look, this upper window integrates beautifully with the door, maintaining both style and structural integrity. It's an ideal addition for modern interiors that value both form and function.

8mm Thick Toughened Glass


VERTICAL ELEGANCE, NATURALLY LIT

The side window, available in **350mm and 450mm widths** with a **height of up to 3 meters**, is designed to align perfectly with the door height for a seamless look. It brings in abundant natural light while adding vertical elegance, making entrances feel taller and more inviting. Ideal for both modern and classic spaces, it enhances openness without sacrificing privacy.






Side Window



350mm 450mm
8mm Thick Toughened Glass

Top Window



350mm / 450mm
8mm Thick Toughened Glass

Note: we also accommodate custom sizes upon request.

VERTICAL ELEGANCE, NATURALLY LIT

Top and side window combinations create a striking frame around the door, enhancing natural light and architectural presence. With heights up to 3 meters and widths of 350mm or 450mm, these additions offer both style and symmetry. Perfectly aligned with the door, they bring in light from multiple angles while maintaining a seamless, unified design. Ideal for premium entrances and modern interiors.








CONFERENCE ROOM










SMART COMFORT. EVERY SPACE.

Our doors combine functionality, safety, and style to suit the diverse needs of educational facilities and institutions.

Sliding Door

Sliding doors are a perfect space-saving solution, operating smoothly without the need for swing clearance. They are ideal for compact rooms or areas where furniture placement limits door movement. With their sleek, modern appearance, they complement both glass and veneer finishes. While they enhance space efficiency, they offer lower acoustic and privacy performance compared to fully sealed hinged doors.





Bi- Swing Door

Bi-swing doors combine practicality with versatility, allowing both push & pull operation in a single design. This makes them highly convenient for high-traffic areas & spaces that require flexible movement flow. They are easy to maintain, compatible with standard hardware & well-suited for both residential and commercial applications where dual-direction access is an advantage.





Bi-Fold Door



Vision panels are available in 3 types, compatible with all door styles and performance variants.

Vision panel 1: 250x450 mm


Vision panel 2 : 600x200 mm

Vision panel 3 : 1800x200 mm









Door Protection

Skirt Guard

Kick Plate

Hydro Guard

Push Plate


Rebate Guard

Corner guard

Door ProtectionShield guard

Wider Opening

ENTRANCE (PREMIUM)





- Aluminum sheet sandwiched HDF decks on each face.



- EN-rated heavy-duty 2nd mortise lock



- Integrated #3-hidden security locking bolts



- 33mm infill solid core stays the same size in any climate



- 45mm thick rebated door features premium internal construction

REBATED DOOR
45mm Thick

DOOR MATERIAL

- Engineered laminated Wood -100mm Stile & 75mm Rail
- Solid Core Infill (Imported 33mm Core)
- Aluminum Sheet Layer (Internal x 2Layers)
- Sandwiched Deck High-Density Fiberboard (HDF - 5.5mm Decks x 2 faces)


FULL WALL WRAP ADJUSTABLE FRAME
95mm to 340mm+

FRAME MATERIAL

- Engineered Laminated Wood - BWP 72 Grade
- 60mm wide Architrave
- 45-degree miter joint
- PVC Spacer (Bottom Protection)
- Twin-coat water sealant, 100mm in height at bottom

SURFACE MATERIAL

- Italian CPL Veneer (Both faces of Door leaf)
- Color-Matched Edge Banding (4 edges of Door leaf)
- CPL Veneer Wrap (Frame)
- PUR Adhesive on Door & Frame (for Lamination, Edgebanding & Wrapping)



FACTORY FITTED HARDWARE



1.EN-rated heavy-duty main mortise lock
2. Reinforced plate + stainless steel striker plate x 2No.s
3. EN-rated secondary mortise lock
4. 6-pin euro profile cylinders (key-knob) with 5 keys x 2No.s
5.#3 hidden security locking bolts ensure locking at 5 points on both sides



1. Concealed hinge bracket with 6 screws
2. This door features a 3-element hinge, adjusted with an Allen key.
3. co-extruded frame seal enhances acoustic performance by minimizing noise transfer.



No Handle


INSTALLATION FIXTURES




MODELS







INTERIOR (PREMIUM)





- Aluminum sheet sandwiched HDF decks on each face.



- You get a full 180° swing, maximizing the doorway space.



- Pre-installed hardware at our mega factory for premium finish.



- 33mm infill tubular core stays the same size in any climate



- 45mm thick rebated door features premium internal construction

REBATED DOOR
45mm Thick

DOOR MATERIAL

- Engineered laminated Wood -100mm Stile & 75mm Rail
- Tubular Core Infill (Imported 33mm Core)
- Sandwiched Aluminum Sheet Layer (Internal x 2Layers)
- HDF HMR 4hours BWP - 5.5mm Decks x 2 faces


FULL WALL WRAP ADJUSTABLE FRAME
95mm to 340mm

FRAME MATERIAL

- Engineered Laminated Wood - BWP72 Grade
- 60mm wide Architrave
- PVC Spacer (Bottom Protection)
- Twin-coat water sealant, 100mm in height at bottom

SURFACE MATERIAL

- Italian CPL Veneer (Both faces of Door leaf)
- Color-Matched Edge Banding (4 edges of Door leaf)
- CPL Veneer Wrap (Frame)
- PUR Adhesive on Door & Frame (for Lamination, Edgebanding & Wrapping)



FACTORY FITTED HARDWARE



1. EN-rated heavy-duty main mortise lock
2. Stainless steel striker plate + Reinf. Arms
3. 6-pin euro profile cylinders (key-knob) with 5 keys.



No Handle

1. Concealed hinge bracket
2. #2 or 3 Element hinges adjustable with Allen key ensure precise door alignment.
3. co-extruded frame seal enhances acoustic performance by minimizing noise transfer.


INSTALLATION FIXTURES



MODELS










ENTRANCE (OPTIMUM)





- 3-element Adjustable hinges.



- EN-rated heavy-duty mortise lock



- Integrated #2-hidden security locking bolts



- 33mm infill tubular core stays the same size in any climate



- 42mm thick rebated door features premium internal construction

REBATED DOOR
42mm Thick

DOOR MATERIAL

- Engineered laminated Wood -100mm Stile & 75mm Rail
- Tubular Core Infill (Imported 33mm Core)
- High-Density Fiberboard (HDF - 4mm Decks x 2 faces)


FULL WALL WRAP ADJUSTABLE FRAME
95mm to 340mm+

FRAME MATERIAL

- Engineered Laminated Wood - BWP72 Grade
- 60mm wide Architrave
- 45-degree miter joint
- PVC Spacer (Bottom Protection)
- Twin-coat water sealant, 100mm in height at bottom

SURFACE MATERIAL

- Italian CPL Veneer (Both faces of Door leaf)
- Color-Matched Edge Banding (4 edges of Door leaf)
- CPL Veneer Wrap (Frame)
- PUR Adhesive on Door & Frame (for Lamination, Edgebanding & Wrapping)



FACTORY FITTED HARDWARE



1.EN-rated heavy-duty main mortise lock
2. Stainless steel striker plate + Renf. Arms
3. 6-pin euro profile cylinders (key-knob) with #5 keys.
4. #2 hidden security locking bolts ensure locking at 3 points on both sides





Handle Included

1. Concealed hinge bracket with #6 screws
2. This door features a 3-element hinge, adjusted with an Allen key.
3. co-extruded frame seal enhances acoustic performance by minimizing noise transfer.

INSTALLATION FIXTURES



Anchor fastners | Closing cap | Reinforced plate & matching Caps

MODELS

EQUAL DOUBLE DOOR



Model A.1



Model A.1 + Moulding



Model P.0



Model P.2




Model G.1



Model G.0



Model C.1



Model G.2



Model A.1

OFFSET DOUBLE DOOR



Model A.1



Model G.1



Model X.1



Model X.2




Alu strips



Grooves

INTERIOR (OPTIMUM)





- 2-element Adjustable hinges.



- EN-rated heavy-duty mortise lock



- Full Wall wrap adjustable frame WES.Flex™ Technology



- 33mm infill tubular core stays the same size in any climate



- 42mm thick rebated door features premium internal construction



- PUR Adhesive: All-weather, temperature-resistant bonding layer.

REBATED DOOR
42mm Thick

DOOR MATERIAL

- Engineered laminated Wood -75mm Stile & 75mm Rail
- Tubular Core Infill (Imported 33mm Core)
- HDF HMR 4hours BWP - 4mm Decks x 2 faces


FULL WALL WRAP ADJUSTABLE FRAME
95mm to 340mm

FRAME MATERIAL

- Engineered Laminated Wood - BWP72 Grade
- 60mm wide Architrave
- 45-degree miter joint
- PVC Spacer (Bottom Protection)
- Twin-coat water sealant, 100mm in height at bottom

SURFACE MATERIAL

- Italian CPL Veneer (Both faces of Door leaf)
- Color-Matched Edge Banding (4 edges of Door leaf)
- CPL Veneer Wrap (Frame)
- PUR Adhesive on Door & Frame (for Lamination, Edgebanding & Wrapping)



FACTORY FITTED HARDWARE



1.EN-rated heavy-duty main mortise lock
2. stainless steel striker plate
3. 6-pin euro profile cylinders (key-knob) with 5 keys.





Handle Included

1. Concealed hinge bracket
2. This door features a 2 or 3-element hinge, adjusted with an Allen key.
3. co-extruded frame seal enhances acoustic performance by minimizing noise transfer.

INSTALLATION FIXTURES



Anchor fastners | Closing cap | Reinforced plate & matching Caps

MODELS

SINGLE DOOR



Model A.1



Model A.1 + Moulding

Model P.0

Barn style P.1

Model P.2

Model G.0

Model G.1

Model G.2

Model C.1

Model F.1


Model F.2

Model F.3

Alu strips

Grooves

ENTRANCE (UNIVEARSAL+)



- Full Wall wrap adjustable frame WES.Flex™ Technology
- 3-element Adjustable hinges.
- Integrated #1-hidden security locking bolts
- 33mm infill tubular core stays the same size in any climate
- 40mm thick rebated door features premium internal construction

REBATED DOOR
40mm Thick

DOOR MATERIAL

- Engineered laminated wood 75mm stile with 50mm rail for Dh<2400mm. 75mm stile & rail Dh = 2400mm height.
- Tubular Core Infill (Imported 33mm Core)
- High-Density Fiberboard (HDF - 3mm Decks x 2 faces)


FULL WALL WRAP ADJUSTABLE FRAME
95mm to 290mm

FRAME MATERIAL

- Engineered Laminated Wood - BWP72 Grade
- 60mm wide Architrave
- 45-degree miter joint
- PVC Spacer (Bottom Protection)
- Twin-coat water sealant, 100mm in height at bottom

SURFACE MATERIAL

- TDF- Thermo Decor Foil (Both faces of Door leaf)
- Color-Matched Edge Banding (4 edges of Door leaf)
- TDF Wrap (Frame)
- PUR Adhesive on Door & Frame (for Lamination, Edgebanding & Wrapping)



FACTORY FITTED HARDWARE




1.EN-rated heavy-duty main mortise lock
2. Stainless steel striker plate
3. 6-pin euro profile cylinders (key-knob) with 5 keys.
4.#1 hidden security locking bolts ensure locking at 2 points on both sides



Handle Included

1. Concealed hinge bracket with # 6 screws.
2. #3 Element hinge adjustment with Allen key ensure precise door alignment. Adding a
3. co-extruded frame seal enhances acoustic performance by minimizing noise transfer.

INSTALLATION FIXTURES



Anchor fastners | Closing cap | Reinforced plate & matching Caps

MODELS



Model A.1



Model A.1 + Moulding






Alu strips



Grooves

INTERIOR (UNIVEARSAL)



- Full Wall wrap adjustable frame WES.Flex™ Technology
- 3-element Adjustable hinges.
- Integrated co-extruded acostic seal
- 33.5 x 15mm infill Honey cell uniform crushing strength
- 40mm thick rebated door features premium internal construction
- PUR Adhesive: All-weather, temperature-resistant bonding layer.

REBATED DOOR
40mm Thick

DOOR MATERIAL

- Engineered laminated wood 50mm stile & rail for door width up to 900mm. 75mm stile & rail for width more than 900.
- Lock Block 50x500- 2No.s & all corner blocks 50x50 (in mm) - 4 No.s
- Honey cell Infill (Strong & Lightweight, 33.5 x 15mm cell)
- Door leaf width < 1000mm HDF HMR 4hours BWP - 3mm Decks x 2 faces
- Door leaf width > 1000mm HDF - 4mm Decks x 2 faces

FULL WALL WRAP ADJUSTABLE FRAME
95mm to 290mm

FRAME MATERIAL

- Engineered Laminated Wood - BWP72 Grade
- 60mm wide Architrave
- 45-degree miter joint
- PVC Spacer (Bottom Protection)
- Twin-coat water sealant, 100mm in height at bottom

SURFACE MATERIAL

- TDF- Thermo Decor Foil (Both faces of Door leaf)
- Color-Matched Edge Banding (4 edges of Door leaf)
- TDF Wrap (Frame)
- PUR Adhesive on Door & Frame (for Lamination, Edgebanding & Wrapping)

AVAILABLE DIMENSIONS

Heights: 1975mm, 2100mm, 2250mm, 2350mm, 2400mm

Widths : 750mm, 850mm, 900mm, 1000mm, 1050mm, 1100mm, 1200mm

Additionally, we can accommodate other standard sizes upon request.

Note:

• Vision panels: available in all height and width dimensions.

FACTORY FITTED HARDWARE




1.EN-rated heavy-duty main mortise lock
2. stainless steel striker plate
3. 6-pin euro profile cylinders (key-knob) with 5 keys.



No Handle

1. Concealed hinge bracket
2. This door features a 2 or 3-element hinge, adjusted with an Allen key.
3. co-extruded frame seal enhances acoustic performance by minimizing noise transfer.

INSTALLATION FIXTURES



Anchor fastners | Closing cap | Reinforced plate & matching Caps


MODELS



Model A.1



Model A.1 + Moulding







Alu strips



Grooves







GLASSS AND PANEL DOORS

ALL MODELS



MODEL A.1

STANDARD DOOR HEIGHTS: 2100 mm & 2350 mm

SINGLE DOOR WIDTHS : 750mm, 900mm, 1000 mm, 1200mm, 1350mm*, 1500mm*



Model P.0 | Model P.1 Barn Door | Model P.2 | Model G.0 | Model G.1 | Model G.2 | Model C.1 | Model F.3 | Model F.3 (super wide*)

WIDTHS FOR DOUBLE DOOR : from 650 to 2350mm



Model A.1 | Model P.0 | Model P.2 | Model G.1

Model G.0 | Model C.1 | Model G.2


OFFSET DOUBLE DOOR

Model A.1 | Model G.1

Model X.1 | Model X.2

SUPER TALL DOOR HEIGHTS: 2550mm ,2700 mm & 2850 mm, 3000 mm

SINGLE DOOR WIDTHS : 900mm, 1000 mm, 1350mm* & 1500mm*



Model G.0 | Model G.2 | Model C.1 | Model F.3 (super wide*)

WIDTHS FOR DOUBLE DOOR : from 650 to 2350mm



Equal Double door Model G.0 | Equal Double door Model G.2 | Equal Double door Model C.1


OFFSET DOUBLE DOOR




Model A.1 | Model X.2

ALL DIMENSION COMBINATIONS


Full wall wrap adjustable frame (F.W.W.A.F) with WESFlex Technology





Regular Height Door <= 2400mm

Super Tall Door > 2400mm



Regular Height Door < 2400mm
Super Tall Door > 2400mm

Sl No.	W_H in mm
1	1975
2	2100
3	2250
4	2350
5	2400
6	2700
7	3000

SINGLE DOOR



Regular width door =< 1200mm wide


Sl No.	W_w in mm
1	750
2	850
3	900
4	1000
5	1050
6	1100
7	1200

Super wide door > 1200mm wide

Sl No.	W_w in mm
1	1250
2	1350
3	1500


W_H and W_w are the finished wall opening height and width, measured after flooring and wall cladding are complete. Dimensions are provided in the tables.

OFFSET DOUBLE DOOR



Sl No.	DD_c	W_w
1	750 + 450	1200
2	850 + 450	1300
3	900 + 450	1350
4	1000 + 450	1450
5	1100 + 450	1550
6	1200 + 450	1650
7	750 + 350	1100
8	850 + 350	1200
9	900 + 350	1250
10	1000 + 350	1350
11	1100 + 350	1450
12	1200 + 350	1550

EQUAL DOUBLE DOOR



Sl No.	DD_c	W_w
1	350 + 350	650
2	450 + 450	850
3	750 + 750	1450
4	850 + 850	1650
5	900 + 900	1750
6	1000 + 1000	1950
7	1050 + 1050	2050
8	1100 + 1100	2150
9	1200 + 1200	2350

WESMARC DELIGHT STUDIO

Introducing the latest WESMARC-owned Delight Studios—now open in Bengaluru at Indiranagar and Bommasandra, in Hyderabad at Jubilee Hills, and the newest one in Chennai at Pantheon, Egmore. Stay tuned as we continue expanding with more premium experience centers across key cities.


WESMARC channel partners now showcase our complete door solutions in Bengaluru, Hyderabad, Chennai, Coimbatore, Mysuru, Vijayawada, Mohali, Chandigarh, Ludhiana, Patna, Raipur, Pune, Kochi, Kannur, Mangalore, Tirupati, and Tiruppur. Visit these display galleries to explore doors, frames, and hardware—all in one seamless and inspiring space.





DELIGHT STUDIO #1

Wesmarc Doors Technik Pvt Ltd
61/C, Wesmarc Doors Technik Pvt Ltd, 61/B2, Plot No. 61/B1, Bommasandra Industrial Area, Bengaluru, Bommasandra, Karnataka 560099



DELIGHT STUDIO #2

2nd Floor, Wesmarc House, 2023, 100 Feet Rd, HAL 2nd Stage, Indiranagar, Bengaluru, Karnataka 560038



DELIGHT STUDIO #3

3rd Floor, Sri Mahaan Heights, 286/A, Road No. 12, MLA Colony, Banjara Hills, Hyderabad, Telangana 500034



DELIGHT STUDIO #4

5th Floor, 125/349, Pantheon Rd, opp. Co Optex Store, Egmore, Chennai, Tamil Nadu 600002

HANDLES

While we understand the importance of having an elegant handle, it's about a lot more than outward appearance.

It is also about the inner peace you get from having a solid, secure handle and lock assembly.

BRASS-SOLID, AVAILABLE IN ANTIQUE, GOLD & BLACK



Model 1



Model 2



Model 3



Model 4

SS 304 (MATTE/GLOSSY) & BLACK ALUMINUM HANDLES



Model A



Model B





Model x



Model C



Model D



Matching rosette





Standard in selected categories

Model E

Aluminium-solid
Available only in black finish

PULL HANDLE



Pull handle: Model 1 (350mm)
Available in Antique, Gold & Black



Pull handle: Model 2 (457mm)
Available in Antique, Gold & Black



Pull handle: Model 3 (305mm)
Available in Black

WOODEN HANDLE



For super tall door 2400mm
Model-1



For regular height door
1800mm Model-2



1200mm Model-3




600mm Model-4

CONCEALED LOCKING AND MAGENTIC STOPPER



Main Mortise lock & 2nd lock



Concealed locking bolt



Concealed magnetic door stopper


CNC OR MACHINING



Drop down seal



Digital lock



Conceled door closer

MATCHING TO THE DECORS



Decorative Hinge caps
Available in Antique, Gold & Black



Reinforced rounded striker plate
with matching Plastic caps



Co-extruded acoustic seal
matching to the decor




PVC Edge band matching to the
Door surface finish

ADJUSTABLE HINGES (FACTORY-FITTED HINGES INCLUDED BY DEFAULT)




2 Element Hinges



Hinge bracket with 6 screws



Reinforced 3 Element Hinges



Hinge bracket with 6 screws

MORTISE LOCK & CYLINDER LOCKING LOGIC (FACTORY-FITTED INCLUDED BY DEFAULT)



Entrance Upper
Patent Lock Knob-Key



Entrance Main
Patent Lock Knob-Key



Bedroom/Office
Patent Lock Knob-Key




Bathroom Lock Knob-
Emergency Coin Slot




Cylinder + 5 keys
Available in Antique, Gold
Silver & Black

VENTILATION OPENNINGS AND THRESHOLDS



Single Row of Round
Ventilation Vents



Stainless Steel Profile Threshold
with Integrated Rubber Seal



Wooden Threshold matching
to Door & Frame Decors

SMART HARDWARE & ACCESSORIES



Smart Door closer



Smart door hooks




Wide Angle Eye View




Integrated hidden security locking
bolts, factory-fitted and included by
default in entrance doors.

DESIGN UPGRADE
























Moulding 5
3mm (H) x 72mm

Moulding 6
3mm (H) x 57mm


Moulding 7
3mm (H) x 42mm

Moulding 8
12mm (H) x 20mm (W)











CREATING FIRST IMPRESSIONS

MATERIAL PALETTE HIGH QUALITY CPL VENEERS

Not many things are as unpredictable as the Indian weather and usage patterns.

A vast geography, leading to vast differences in weather conditions and an equally vast difference in how the doors are used across, demanded a range of materials that stand resolute. So, we combined a consistently high-level of functionality with elegance.

Abrasion resistance

Humidity Resistant

Easy Cleaning

Diffused Sunlight

"PREMIUM & OPTIMUM DOOR" CPL VEENERS



Dark Oak



Stained Walnut



Natural Walnut



Natural Eucalyptus



Natural Oak



White Ash



Nero Notte



Bianco Puro

"UNIVERSAL DOOR" TDF THERMO DECOR FOIL DECORS



Amber Lux Rosewood



Burnt Walnut



Golden Grain Oak




Nordic Birch

DESIGN INSPIRATION


We think doors are far more than just a means to separate one space from another. We think of it as a key part of the interior decor.

So, we've made the process of choosing doors, a joyful activity. Here are some tips to help you choose the doors that add to the character and look of your living space.




FIT IT TO SKIRTING BOARDS

Doors can be accented beautifully by the skirting boards that line the wall. So, observe the colour, height, finish, and style of the boards and choose your doors and frames accordingly.



FIT IT TO DETAILS

When it comes to styling a room, the devil is in the details. So take your cues from the detailing of your room and choose a door and frame that works well to highlight them.




FIT IT TO COLOURS

Another great anchor point for the design of a space is the floor or wall colour. Match the doors and frames to the shade of the floor or wall, or, go the opposite way for a contrasting colour palette.



FIT IT TO FURNITURE

The character of the room is underscored by its furniture, and doors are a big part of it. Match the finish of your doors and frames to complement the structure and shade of your furniture.



FIT IT TO LIGHTING

The beauty of a room really comes out when soaked in natural light. And when there is little daylight access, the room can be lit up thanks to glass doors.




FIT IT TO STYLE

There is no wrong way of styling an apartment. They can be minimal or loud, while still having a distinct style. So make sure you choose the doors and frames that play along with your style.

LEFT OR RIGHT?

An aspect of buying a door that is often overlooked until the last minute is its orientation and direction of opening. In other words, do you need a left or right door?

How do you determine whether the door is a left or a right door?




1.
Locate which side of the frame the hinge is on.



2.
Stand between the frames facing directly towards the hinge.



3.
If the door opens towards your right, its a right arm stretched out door.



4.
If the door opens towards your left, its a left arm stretched out door.

FLUSHED OR REBATED?



Look from Outside.



Look from Inside.

WESMARC®
SUPER DOORS



INDIA'S MOST
MODERN & LARGEST
DOOR & FRAME MANUFACTURING

Seeing is believing
Write to us at
namaste@wesmarcdoors.com or call us at
9880-918-981 to tour our Mega Factory or visit any of our delight studio

Trade enquiries solicited

Visit our Delight Studios at
BLR: Bommasandra & Indiranagar 100 Ft Rd
HYD: Banjara Hills, Rd #12
CHE: Pantheon, Egmore

75+ channel partners with product displays across Bharat

KK: Bengaluru, Mysuru,Raichur
Hubli & Mangalore (soon)
KL: Kannur, Kochi (soon)
TN: Chennai, Coimbatore, Tiruppur
Pollachi ,Salem, Trichy (soon)
PY: Pondicherry (soon)
AP: Tirupati, Vijayawada

TS: Hyderabad
MH: Pune
CH : Raipur
PB: Mohali, Amritsar
Chandigarh,Ludhiana
BR: Patna
UP : Kanpur (soon)

wesmarcdoors.com

ISO CERTIFIED 9001
ISO CERTIFIED 14001
ISO CERTIFIED 45001
GreenPro
IGBC

INDIA'S #1ST AND ONLY



German inspired Rebated Door system
Crafted for Comfort & well-being



Full Wall Wrap Adjustable Frame (F.W.W.A.F) system with WES.Flex ™ Technology
Crafted for effortless wall flexibility

German Engineered, Bharat Made